

SUPER H7

Up to 30% more light



Up to 30% more light

For better visibility and shorter reaction times compared to standard halogen lamps



Enhanced illumination

For extra confidence



Convincing price-performance ratio

For better visibility at a reasonable price



Up to 30% more light on the road

SUPER headlight lamps offer more performance for the most important lamp types. With up to 30% more light compared to standard lamps, signs, obstacles and hazards are more rapidly recognized.

Product datasheet

Technical data

Product information

| | |
|---|------------------------|
| Order reference | 64210SUP |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


| | |
|-----------------|--------------------|
| Power input | 58 W ¹⁾ |
| Nominal voltage | 12.0 V |
| Nominal wattage | 55.00 W |
| Test voltage | 13.2 V |

¹⁾ Maximum

Photometrical data

| | |
|-------------------------|---------|
| Luminous flux | 1500 lm |
| Luminous flux tolerance | ±10 % |

Dimensions & weight



| | |
|----------------|---------|
| Product weight | 12.50 g |
| Length | 59.0 mm |

Lifespan

| | |
|-------------|-------|
| Lifespan B3 | 340 h |
| Lifespan Tc | 520 h |

Additional product data

| | |
|-----------------------------|-------|
| Base (standard designation) | PX26d |
|-----------------------------|-------|

Capabilities

Product datasheet

| | |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

| | |
|--------------|----|
| ECE category | H7 |
|--------------|----|

Country specific categorizations

| | |
|-----------------|----------|
| Order reference | 64210SUP |
|-----------------|----------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|------------------------------------|
| Date of Declaration | 06-03-2024 |
| Primary Article Identifier | 4008321890375 4062172150156 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4008321890375 | SUPER H7 | Folding carton box 1 | 34 mm x 34 mm x 58 mm | 0.07 dm ³ | 16.00 g |
| 4008321890382 | SUPER H7 | Bundle 10 | 170 mm x 69 mm x 58 mm | 0.68 dm ³ | 161.00 g |
| 4008321890399 | SUPER H7 | Shipping carton box 100 | 356 mm x 186 mm x 129 mm | 8.54 dm ³ | 1762.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM