

# ORIGINAL LINE HIR2

Original spare part



### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

Order reference	9012
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	60 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	55.00 W
Test voltage	13.2 V
Power input tolerance	±15 %

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	1875 lm
Luminous flux tolerance	±15 %

### Dimensions & weight



Diameter	12.1 mm
Product weight	19.65 g
Length	85.5 mm

### Lifespan

Lifespan B3	500 h
Lifespan Tc	870 h

### Additional product data

Base (standard designation)	PX22d
-----------------------------	-------

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	HIR2
--------------	------

### Country specific categorizations

Order reference	9012
-----------------	------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4008321863997   4055462226334   4062172189156   4055462356314   4062172294720   4062172372251   4008321864659   4062172384186   4062172386999   4062172395342   4062172404501
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321863997	ORIGINAL LINE HIR2	Folding carton box 1	47 mm x 47 mm x 71 mm	0.16 dm <sup>3</sup>	26.00 g
4008321864000	ORIGINAL LINE HIR2	Bundle 10	235 mm x 94 mm x 71 mm	1.57 dm <sup>3</sup>	260.00 g
4008321864017	ORIGINAL LINE HIR2	Shipping carton box 100	478 mm x 248 mm x 164 mm	19.44 dm <sup>3</sup>	2832.00 g
4062172294720	ORIGINAL LINE HIR2	Blister 1	135 mm x 95 mm x 40 mm	0.51 dm <sup>3</sup>	32.00 g
4062172294737	ORIGINAL LINE HIR2	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm <sup>3</sup>	420.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
------

## Product datasheet



360 Degree Image  
ORIGINAL HIR2 9012

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM