

# ORIGINAL LINE

OEM quality for trucks



## The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.



# Product family datasheet

## Technical data

Product description	Product information		Electrical data				Photometrical data
	Order reference	Application (Category and Product specific)	Power input	Nominal voltage	Nominal wattage	Test voltage	Luminous flux
ORIGINAL LINE H1	64155	Halogen headlight lamp	84 W <sup>1)</sup>	24.0 V	70.00 W	28.0 V	1900 lm
ORIGINAL LINE H2	64175	Halogen headlight lamp	84 W <sup>1)</sup>	24.0 V	70.00 W	28.0 V	2150 lm
ORIGINAL LINE H3	64156	Halogen headlight lamp	84 W <sup>1)</sup>	24.0 V	70.00 W	28.0 V	1750 lm
ORIGINAL LINE H4	64196	Halogen headlight lamp	85 / 80 W <sup>1)</sup>	24.0 V	75/70 W	28.0 V	1900/1200 lm
ORIGINAL LINE H4	94196	Halogen headlight lamp	85 / 80 W <sup>1)</sup>	24.0 V	75/70 W	28.0 V	1900/1200 lm
ORIGINAL LINE H7	64215	Halogen headlight lamp	75 W <sup>1)</sup>	24.0 V	70.00 W	28.0 V	1750 lm
ORIGINAL LINE H15	64177	Halogen headlight lamp	73 / 24 W <sup>1)</sup>	24.0 V	60/20 W	28.0 V	300/1500 lm

Product description	Luminous flux tolerance	Dimensions & weight		Lifespan		Additional product data	Capabilities
		Length	Diameter	Lifespan B3	Lifespan Tc	Base (standard designation)	Technology
ORIGINAL LINE H1	±15 %	67.5 mm	8.5 mm	400 h	650 h	P14.5s	HAL
ORIGINAL LINE H2	±15 %	31.0 mm	9 mm	90 h	250 h	X511	HAL
ORIGINAL LINE H3	±15 %	44.0 mm	11.5 mm	400 h	650 h	PK22s	HAL
ORIGINAL LINE H4	±15 / ±15 %	82.0 mm	17.0 mm	170 / 350 h <sup>2)</sup>	400 / 800 h <sup>2)</sup>	P43t	HAL
ORIGINAL LINE H4	±15 / ±15 %	82.0 mm	16.0 mm	170 / 500 h <sup>2)</sup>	400 / 1500 h <sup>2)</sup>	P43t	HAL
ORIGINAL LINE H7	±10 %	59.0 mm	12.0 mm	220 h	500 h	PX26d	HAL
ORIGINAL LINE H15	±10 / ±10 %	79.0 mm	13.0 mm	200 / 1500 h	400 / 3000 h	PGJ23t-1	HAL

## Product family datasheet

Product description	Certificates & standards	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	ECE category	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
ORIGINAL LINE H1	H1	05-03-2024	4050300925844   4050300880051   4050300016498   4050300362861   4008321371515   4008321393333   4008321393371   4008321675521   4052899412101   4062172130837   4062172159371   4062172216517   4062172232296   4062172285094	No declarable substances contained
ORIGINAL LINE H2	H2	05-03-2024	4050300218960	No declarable substances contained
ORIGINAL LINE H3	H3	05-03-2024	4050300565811   4050300016535   4050300985886   4050300881461   4008321371638   4052899412125   4052899424494   4058075021938   4052899432208   4052899563261   4052899576377   4062172027335   4062172121415   4062172232333   4062172285896   4062172339872	No declarable substances contained
ORIGINAL LINE H4	H4	05-03-2024	4050300016542   4050300937724   4050300925868   4050300212296   4008321021793   4008321151575   4008321373939   4008321650696   4052899310377   4052899411883   4052899475946   4062172119214   4062172130936   4062172355704	No declarable substances contained
ORIGINAL LINE H4	H4	05-03-2024	4050300250618   4050300250632	No declarable substances contained

## Product family datasheet

Product description	Certificates & standards	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	ECE category	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
ORIGINAL LINE H7	H7	29-03-2024	4050300493077   4050300459424   4050300386522   4050300925882   4050300629605   4052899011236   4052899411845   4052899589858   4062172014465   4062172130967   4062172390361	No declarable substances contained
ORIGINAL LINE H15	H15	05-03-2024	4008321536556   4008321857057   4052899456594   4052899498587   4062172115599   4008321536532	No declarable substances contained






Product description	Declaration No. in SCIP database
ORIGINAL LINE H1	In work
ORIGINAL LINE H2	No declarable substances contained
ORIGINAL LINE H3	In work
ORIGINAL LINE H4	In work
ORIGINAL LINE H4	In work
ORIGINAL LINE H7	In work
ORIGINAL LINE H15	In work

<sup>1)</sup> Maximum

<sup>2)</sup> Filament 1

## Product family datasheet

### Download Data

File	
	360 Degree Image ORIGINAL TRUCK H1 64155
	360 Degree Image ORIGINAL TRUCK H3 64156
	360 Degree Image ORIGINAL TRUCK H4 64196
	360 Degree Image ORIGINAL TRUCK H7 64215
	360 Degree Image ORIGINAL TRUCK H15 64177

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

