

# ULTRA LIFE P21/5W

Up to four times longer lifetime



**Extra lifetime**

Up to four times longer lifetime compared to standard auxiliary lamps



**More durability**

For longer replacement cycles and additional reliability and comfort



**Wide product range**

Fits for most common auxiliary lamp types



**The durable light with up to four times longer lifetime**

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

# Product datasheet

## Technical data

### Product information

Order reference	7528ULT
Application (Category and Product specific)	Auxiliary lamp


### Electrical data

Power input	25 / 6 W
Nominal voltage	12.0 V
Nominal wattage	21/5 W
Power input tolerance	±6 / ±10 %
Test voltage	13.5 V

### Photometrical data

Luminous flux	440/35 lm
Luminous flux tolerance	±15 / ±20 %

### Dimensions & weight



Length	52.5 mm
Diameter	25.0 mm
Product weight	10.50 g

### Lifespan

Lifespan B3	300 / 3000 h <sup>1)</sup>
Lifespan Tc	800 / 6000 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

### Additional product data

Base (standard designation)	BAY15d
-----------------------------	--------

## Product datasheet

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	P21/5W
--------------	--------

### Country specific categorizations

Order reference	7528ULT
-----------------	---------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321413116   4008321415301   4008321415288   4052899419582   4062172394895
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321413116	OSRA7528ULT	-	-	-
4008321413123	OSRA7528ULT	-	-	-
4008321413116	OSRA7528ULT	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321413116	ULTRA LIFE P21/5W	Unpacked 1	- x - x -		
4008321413123	ULTRA LIFE P21/5W	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm <sup>3</sup>	127.00 g
4008321413130	ULTRA LIFE P21/5W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm <sup>3</sup>	685.00 g
4008321415288	ULTRA LIFE P21/5W	Blister 2	135 mm x 95 mm x 26 mm	0.33 dm <sup>3</sup>	32.00 g
4008321415295	ULTRA LIFE P21/5W	Shipping carton box 20	279 mm x 115 mm x 146 mm	4.68 dm <sup>3</sup>	410.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# Product datasheet

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM