

# ORIGINAL MINIXEN -

Original spare part



### The cost-effective original spare parts

ORIGINAL MINIXEN signal lamps for cars can be used for interior lighting as well as reading lights. Discover these original spare parts from OSRAM with reliable OEM quality and a wide product range.

# Product datasheet

## Technical data

### Product information

Order reference	3886X
Application (Category and Product specific)	Auxiliary lamp

### Electrical data

Power input	6 W
Nominal voltage	12.0 V
Nominal wattage	6.00 W
Power input tolerance	±10 %
Test voltage	13.5 V

### Photometrical data

Luminous flux	80 lm
Luminous flux tolerance	±20 %

### Dimensions & weight

Length	27.4 mm
Diameter	9 mm
Product weight	1.96 g

### Lifespan

Lifespan B3	400 h
Lifespan Tc	1000 h

### Additional product data

Base (standard designation)	BA9s
-----------------------------	------

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	-
--------------	---

### Country specific categorizations

Order reference	3886X
-----------------	-------

### Environmental information

## Product datasheet

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4050300885896   4008321095787
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321095787	OSRA3886X	-	-	-
4008321095794	OSRA3886X	-	-	-
4008321095787	OSRA3886X	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321095787	ORIGINAL MINIXEN 3886X	Unpacked 1	- x - x -		
4008321095794	ORIGINAL MINIXEN 3886X	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm <sup>3</sup>	31.00 g
4008321095800	ORIGINAL MINIXEN 3886X	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm <sup>3</sup>	183.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM