Product family datasheet

# **OSRAM**

# ONYX COPILOT USB

Flexible LED reading light





Pleasantly warm and glare-free light



**37 cm** 370 mm neck length powered via USB



Multifunctional use This stylish reading light is suitable for all vehicles with USB connection



## Precisely illuminating vehicle interiors

With its elegant and dynamic design, the ONYX COPILOT LED reading light achieves seamless integration into vehicle interiors. With its high flexibility, the reading light has a wide range of options for illuminating specific areas of the vehicle interior. The neck of the light is made of matt black silicon rubber and can be individually adjusted. The LED lifetime of ONYX COPILOT is extremely long: up to 20,000 hours! The Luminaire can be switched on/off and remain connected permanently. OSRAM provides a 2 year guarantee for this stylish light.

## Product family datasheet

## Technical data

	Product informa	Product information		General Product Information		Photometric Data		
Product description	•••••	Application (Category and Product specific)		Global order reference		ature	Nominal luminous flux	
ONYX COPILOT	Flexible LED realight	Flexible LED reading light		ONYX COPILOT USB			20 lm	
		Physica	l Attributes &	& Dimensior	IS			
Product description	Light color LED	Produc	t weight	Length		Width		
ONYX COPILOT	Warm white	58.00 g 394.0 m		nm 25.0 mm				
			Colors & m	aterials	Lifetime Data	Capabili	ties	
Product description	Height		Base color		Guarantee	Technol	ogy	
ONYX COPILOT	9.5 mm		Black		2 years	LED <sup>1)</sup>		
	Certificates & s	Certificates & standards			Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Product description	Type of protect	Type of protection		Standards		le	Candidate list substance 1	
ONYX COPILOT	IP20		CE		4052899601	000	Lead	

Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
ONYX COPILOT	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	cfe381e9-de61-47be- 8ff4-79f99a462d05

 $^{1)}$  Light-emitting diode application

## Product family datasheet

## Download Data

	File
*	User instruction LED ONYX COPILOT USB
★	User instruction GPRS_Safety symbols instructions
Ľ	ref_pim_amsp_product360degreeimages ONYX Copilot USB

### **References / Links**

Guarantee terms are available at www.osram.com/am-guarantee

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.