## **OSRAM**

# LEDriving SL W21W/5W RED

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Red



Replaces conventional W21W5W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



#### Suitable LED replacement for W21/5W

LEDriving SL W21W/5W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional W21W/5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

## Product family datasheet

## Technical data

	Product information			General Product Information	Electrical Data	
Product description	Product type (off- road vs. on-road)	pe (off- and Product specific) and vs.		Global order reference	Power input	Nominal voltage
LEDriving SL ≜ W21/5W	Off-road ≜ Mainly used for W21/5W signal/ indicator applications		7515DRP	2.4 W 12.0 V		
				Photometric Data		Physical Attributes & Dimensions
Product description	Nominal wattage		Test voltage	Nominal luminous flux	Luminous flux tolerance	Diameter
LEDriving SL ≙ W21/5W	1 W		13.5 V	80/10 lm	±25 %	20.0 mm
	Lifetime Data		Capabilities	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Product description	Lifespan Li B3 To	ifespan c	Technology	Primary article identifier	Candidate substance	<del></del>

Product description	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≜ W21/5W	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	74e3b067-f6b4- 4a09-a2e0- 2e0a6a46074e

LED 1)

4062172152280 |

4062172401531

Lead

4000 hr

1500 hr

 $<sup>^{1)}</sup>$  Light-emitting diode lamp

### Product family datasheet

#### Download Data

#### File



User instruction GPRS\_Safety symbols instructions



**Brochures** 

LEDriving Retrofits - Exchange overview (EN)

#### Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

#### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.