

# Wire Harness AX 1LS



### Connection of one light source

Wire harness suitable for the installation of one light source with one lighting function of the OSRAM LEDriving driving and working lights for 12 V vehicles



### OnOff switch integrated

For installation in the vehicles cabin to switch the OSRAM LEDriving working lights on or off as required



### Easy Installation

For easy installation of OSRAM LEDriving driving and working lights



### Bringing light to life with OSRAM LEDriving driving and working lights

To support the installation of the OSRAM LEDriving driving & working lights, OSRAM has developed a special series with suitable accessories for them. With the OSRAM Wire Harness AX 1LS, the OSRAM LEDriving driving & working lights, can now be installed quickly and easily on the appropriate vehicle. The OSRAM Wire Harness AX 1LS is a wire harness that is suitable for the installation of one light source with one lighting function. It also has an integrated on/off switch that can be installed in the vehicles cabin to switch the OSRAM LEDriving working lights on or off as required. The switch is only to be used for the OSRAM LEDriving working lights. The OSRAM Wire Harness AX 1LS is suitable for 12 V vehicles. OSRAM also offers a 2-year guarantee<sup>1</sup>).

## Product datasheet

### Technical data

#### Product information

|                 |               |
|-----------------|---------------|
| Order reference | LEDDL ACC 101 |
|-----------------|---------------|

#### Electrical data

|                 |        |
|-----------------|--------|
| Nominal voltage | 12.0 V |
|-----------------|--------|

#### Dimensions & weight



|                |          |
|----------------|----------|
| Product weight | 275.00 g |
| Length         | 0.0 mm   |

#### Lifespan

|           |         |
|-----------|---------|
| Guarantee | 2 years |
|-----------|---------|

#### Country specific categorizations

|                 |               |
|-----------------|---------------|
| Order reference | LEDDL ACC 101 |
|-----------------|---------------|

#### Logistical data

|                |             |
|----------------|-------------|
| Commodity code | 85444290900 |
|----------------|-------------|

#### Environmental information

|  |               |
|--|---------------|
| <b>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)</b> |               |
| Date of Declaration  | 16-05-2024    |
| Primary Article Identifier   | 4062172147682 |
| Declaration No. in SCIP database   | In work       |




### Logistical Data

## Product datasheet

| Product code  | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume                | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4062172147682 | Wire Harness AX 1LS | Folding carton box<br>1      | 175 mm x 82 mm x<br>177 mm           | 2.52 dm <sup>3</sup>  | 325.00 g     |
| 4062172147699 | Wire Harness AX 1LS | Shipping carton box<br>8     | 362 mm x 335 mm x<br>190 mm          | 23.04 dm <sup>3</sup> | 3045.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

| File   |
|--|
|  Movie application<br>OSRAM Quality Testing LEDriving working and driving lights (EN) |
|  Movie application<br>OSRAM LEDdriving and working lights Imagefilm (EN)              |
|  Movie application<br>LEDriving Driving and Working Lights Reference Video (EN)      |

#### Legal advice:

1) Precise terms and conditions at: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

#### Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM