

# ORIGINAL - PSX PS19W

## OSRAM spare parts



### OSRAM spare parts

Discover our ORIGINAL PSX lamps. The spare parts are signal lamp types for different applications. They provide a high and constant luminous flux.

# Product datasheet

## Technical data

### Product information

Order reference	5201
Application (Category and Product specific)	Auxiliary lamp


### Electrical data

Power input	20 W
Nominal voltage	12.0 V
Nominal wattage	19.00 W
Test voltage	13.5 V

### Photometrical data

Luminous flux	350 lm
Luminous flux tolerance	±15 %

### Dimensions & weight



Diameter	18.5 mm
Product weight	9.60 g
Length	46.7 mm

### Lifespan

Lifespan B3	500 h
Lifespan Tc	1000 h

### Additional product data

Base (standard designation)	PG20-1
-----------------------------	--------

### Capabilities

## Product datasheet

Technology	AUX <sup>1)</sup>
------------	-------------------

<sup>1)</sup> Auxiliary signal lamp

### Certificates & standards

ECE category	PS19W
--------------	-------

### Country specific categorizations

Order reference	5201
-----------------	------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4052899600546
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899600546	ORIGINAL - PSX PS19W	Folding carton box 1	34 mm x 34 mm x 58 mm	0.07 dm <sup>3</sup>	13.00 g
4062172017398	ORIGINAL - PSX PS19W	Bundle 10	170 mm x 69 mm x 58 mm	0.68 dm <sup>3</sup>	132.00 g
4052899600553	ORIGINAL - PSX PS19W	Shipping carton box 100	356 mm x 186 mm x 129 mm	8.54 dm <sup>3</sup>	1472.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM