

# LEDinspect TWIST250

## Inspectionlights



### Multi-Angle Flex & Twist

High flexibility and diverse adjustment possibilities thanks to multi angle positioning




### 250 Lumen

2 light functions: Up to 250lm  
-high Up to 125lm -low



### 2in1

Inspectionlight & Torchlight  
function



### 2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



### Light is versatile

With the TWIST 250 you have the possibility to easily control the direction of the light beam. A light output of up to 250 lumens and a colour temperature of up to 6000K, make the TWIST 250 ideal for use in workshops and beyond. Lightweight, robust and with a 360° rotation and a 180° grid function, it is an optimal tool for targeted lighting. Mains charger included. In addition, OSRAM provides a 2-year guarantee on this product\*

Product family datasheet

Technical data

|                     | Product information |                                             | Electrical data |                 | Photometrical data |               |
|---------------------|---------------------|---------------------------------------------|-----------------|-----------------|--------------------|---------------|
| Product description | Order reference     | Application (Category and Product specific) | Nominal voltage | Nominal wattage | Light color LED    | Luminous flux |
| INSPECTION LAMP     | LEDIL412            | LED inspection lights                       | 3.7 V           | 8.14 W          | White              | 250 lm        |

|                     |                   | LED module information    | Dimensions & weight |         |          |                |
|---------------------|-------------------|---------------------------|---------------------|---------|----------|----------------|
| Product description | Color temperature | Number of LEDs per module | Height              | Width   | Length   | Product weight |
| INSPECTION LAMP     | 6000 K            | 2                         | 44.0 mm             | 50.0 mm | 243.0 mm | 488.00 g       |

|                     | Colors & materials | Lifespan  | Additional product data |                 |  |
|---------------------|--------------------|-----------|-------------------------|-----------------|--|
| Product description | Base color         | Guarantee | Scope of battery        | Type of Battery |  |
| INSPECTION LAMP     | Black / Orange     | 2 years   | Yes                     | Rechargeable    |  |

|                     |                              | Capabilities | Certificates & standards | Environmental information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |
|---------------------|------------------------------|--------------|--------------------------|-------------------------------------------------------------------------------------|
| Product description | Number of included batteries | Technology   | IK Class                 | Date of Declaration                                                                 |
| INSPECTION LAMP     | 1                            | LED          | IK09                     | 07-03-2024                                                                          |

| Product description | Primary Article Identifier | Candidate List Substance 1 | CAS No. of substance 1 | Safe Use Instruction                                                                               |
|---------------------|----------------------------|----------------------------|------------------------|----------------------------------------------------------------------------------------------------|
| INSPECTION LAMP     | 4052899623934              | Lead                       | 7439-92-1              | The identification of the Candidate List substance is sufficient to allow safe use of the article. |

| Product description | Declaration No. in SCIP database     |
|---------------------|--------------------------------------|
| INSPECTION LAMP     | c20eb463-09bd-4c1e-8bd5-69238c3db62e |

Download Data

| File                                                                              |                                                           |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------|
|  | User instruction<br>LEDinspect TWIST 250                  |
|  | Movie application<br>LEDinspect Inspection Lights Trailer |

**Application advice:**

For more detailed application information and graphics please see product datasheet and user instruction.

\*for precise conditions please refer to:

[www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.