# **OSRAM**

# LEDriving SL R10W

Ideal replacement for any vehicle



Suitable for various vehicle interior and exterior applications

Available in Cool White



### Reliable OSRAM quality stands for less lamp replacements

4-year guarantee (refer to www.osram.com/am-guarantee for precise conditions)



#### Suitable LED replacement for R10W

LEDriving SL R10W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional R10W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

# Technical data

	Product information		General Product Information	Electrical Data	
Product description	Application (Categ and Product specif	•	Global order reference	Power input	Nominal voltage
LEDriving SL ≜ R10W	Mainly used for signal/indicator applications	Off-road ≙ R10W	5008DWP	1.24 W	12.0 V
			Photometric Data		Physical Attributes & Dimensions
		_			Diameter
Product description	Nominal wattage	Test voltage	Nominal luminous flux	Luminous flux tolerance	Diameter
Product description  LEDriving SL	Nominal wattage			flux	19.0 mm
·		voltage	flux	flux tolerance ±25 % ulatory Inform g Art. 33 of EU	19.0 mm
·	1 W	voltage  13.5 V  Capabilities	flux  125 lm  Environmental & Reg Information according	flux tolerance ±25 % ulatory Inform g Art. 33 of EU	19.0 mm ation )

4062172401296

 $<sup>^{1)}</sup>$  Light-emitting diode lamp

# Product family datasheet

### Download Data

File



Brochures

LEDriving Retrofits - Exchange overview (EN)

## Safety advice

Canbus compatible

## Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.